

FPW

FPW SERIES PALLET-WEIGHERS



Low profile, easy to move, pallet-weighing scale. Suitable for industrial and commercial applications, in which it's necessary to quickly weigh goods on a pallet. The standard version is provided with approved load cells.

Working in cooperation with:

SCALEIT AS

VESTVOLLVEIEN 30B - 2019 - SKEDSMOKORSET - NORWAY
Tel. 0047 64836750 Fax. 0047 63872590
post@scaleit.no www.scaleit.no

The best solution
for advanced industrial
applications

TECHNICAL FEATURES

- Functioning with 4 shear-beam 350Ohm nickel-plated steel load cells, approved according to OIML R60 C3 standards (3000 divisions), IP67 protection degree.
- Accuracy: +/- 0.1% of the maximum capacity in the versions for internal use.
- Accuracy: +/- 0.05% of the maximum capacity in the "M" approved versions.
- Moulded sheet-steel structure, oven-fire painted RAL 5007 blue.
- Adjustable, shock-proof jointed feet, level, 2 wheels and handles for moving it.
- 5/15 Vdc power supply.
- Shielded about 3m long cable for connection to the indicator.
- Upon request:
 - platform calibration service with weight indicator;
 - 3000e CE-M approval, to be combined always to the calibration service;
 - support column for indicator.

VERSIONS

Available versions

Codice	PMU min	l x w x h (mm)	N° celle	Max (kg)	d (g)	M (g)*	M 2R (g)*
FPW15	50 g	1263x840x90	4x1000kg	1500	500	500	--
FPW30	100 g	1263x840x90	4x1000kg	3000	1000	1000	--

(*) Divisions obtainable only with the relative options, in combination with Dini Argeo weight indicator.



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano - Modena - Italy
Tel. +39.0536 843418

SCALEIT AS

VESTVOLLVEIEN 30B - 2019 - SKEDSMOKORSET - NORWAY

Tel. 0047 64836750 Fax. 0047 63872590

post@scaleit.no www.scaleit.no

SALES AND TECHNICAL ASSISTANCE SERVICE