

GAEP-K

GAEP-K SERIES STAINLESS STEEL TECHNICAL PRECISION SCALE



Multifunctional high precision scales, suitable for laboratory and industrial use. The completely stainaless steel structure makes this scale suitable for the environments with strict hygiene requirements.

DIVISION (g): 0.1. CAPACITY (g): 33000.

Working in cooperation with:

SCALEIT AS

VESTVOLLVEIEN 30B - 2019 - SKEDSMOKORSET - NORWAY Tel. 0047 64836750 Fax. 0047 63872590 post@scaleit.no www.scaleit.no The best solution for advanced industrial applications

TECHNICAL FEATURES

- High contrast fluorescent display with 8 digits.
- Waterproof membrane keypad, with 10 keys and 2 LED for active functions indication.
- Waterproof construction completely in IP65 stainless steel.
- Weight detection through tuning fork system.
- Stainless steel plate, size: 400x350mm.
- Level, and adjustable feet.
- Power supply: standard fitted with 230 Vac power adapter.
- RS232/c port for connection to PC, 3590E series indicator or printer.
- Cable 1m long, for connection between platform and indicator.
- Packing 480x570x930 mm size.
- Upon request:
 - ACCREDIA calibration with issuing of relative certificate;

FUNCTIONS

- weight totalisation;
- counting;
- setting of the density coefficient;
- % weight;
- weight check HI-LO;
- conversion units of measure: g, kg, ct, oz, lb, ozt, dwt;
- zeroing;
- zero tracking;
- semi-automatic tare;
- digital calibration.

VERSIONS

Available versions							
	Classa	Piatto	Max	d	м	Linearità	Ripetibilità
Codice	Classe	Max (mm)	(g)	(g)	(g)*	(g) +/-	(g)
GAEP33K	П	400x350 mm	33000	0,1		0,3	0,1





DINI ARGEO FRANCE sarl France DINI ARGEO GMBH Germany DINI ARGEO UK Ltd United Kingdom DINI ARGEO WEIGHING INSTRUMENTS Ltd China DINI ARGEO OCEANIA Australia



COMPANY HEADQUARTERS Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 843418

SCALEIT AS

.....

VESTVOLLVEIEN 30B - 2019 - SKEDSMOKORSET - NORWAY Tel. 0047 64836750 Fax. 0047 63872590

post@scaleit.no www.scaleit.no

SALES AND TECHNICAL ASSISTANCE SERVICE

All the specifications and images can be subject to variations and upgrades without prior notice.