

KS

KS SERIES "BENCH/FLOOR" SCALE



Multi-purpose very sturdy small-sized bench or floor scales, ideal for weighing packages, vegetable crates, and all kinds of objects, also on mobile carts; extensible cable, for the best positioning of the indicator.

Working in cooperation with:

SCALEIT AS

VESTVOLLVEIEN 30B - 2019 - SKEDSMOKORSET - NORWAY Tel. 0047 64836750 Fax. 0047 63872590 post@scaleit.no www.scaleit.no The best solution for advanced industrial applications

TECHNICAL FEATURES

- LCD display with 6 digits 15mm high,
- Mechanical waterproof simplified keypad with 4 keys.
- Plate and structure in stainless steel; 330x320mm size plate.
- Indicator in anodised aluminium with bracket for fixing to the wall and 3 m extendable cable.
- Power supply: 6 extractable batteries of the 1,5V AA type (not included) or 230 Vac / 9Vdc 100mA mains power adapter included.
- RS232/C port for connection to PC.
- Packaging: 445x346x70mm size approximate weight of 4,5kg.
- Upon request: ACCREDIA calibration with issuing of relative certificate.

FUNCTIONS

- hold (freezing the weight on the display);
- lb/kg conversion;
- zeroing;
- automatic tare;
- zero tracking;
- auto switch-off;
- low battery warning.

VERSIONS

Available versions		
	Мах	d
Codice	(kg)	(g)
KS30	30	10
KS60	60	20
KS150	150	50





DINI ARGEO FRANCE sarl France DINI ARGEO GMBH Germany DINI ARGEO UK Ltd United Kingdom DINI ARGEO WEIGHING INSTRUMENTS Ltd China DINI ARGEO OCEANIA Australia



COMPANY HEADQUARTERS Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 843418

SCALEIT AS

.....

VESTVOLLVEIEN 30B - 2019 - SKEDSMOKORSET - NORWAY Tel. 0047 64836750 Fax. 0047 63872590

post@scaleit.no www.scaleit.no

SALES AND TECHNICAL ASSISTANCE SERVICE

All the specifications and images can be subject to variations and upgrades without prior notice.