

TPWN_ENTRY LEVEL

TPWN "NETWORK" ENTRY LEVEL PALLET TRUCK SCALE



The only entry-level pallet truck with high-end features and made-in-Italy quality. Available in versions with internal rechargeable battery, AA batteries and wide forks version for the fruit and vegetable sector. Manufactured, calibrated and adjusted in Italy by Dini Argeo, with the use of certified sample weights.

Working in cooperation with:

TAMTRON AS

VESTVOLLVEIEN 30B - 2019 - SKEDSMOKORSET - NORWAY
Tél. +47 64 83 67 50
post@tamtron.no www.tamtron.no

The best solution
for advanced industrial
applications

WEIGHING FEATURES

- Maximum lifting capacity: 2,000 kg
- Resolution:
 - > 0,2 kg (TPWNAA, TPWNBT version)
 - > 1 kg (TPWNBTW version with wide forks)
- Accuracy (weighing of goods on Euro pallets with distributed load): +/- 1 kg

WHY CHOOSE TPWN DINI ARGEO

- The only entry level pallet truck scale that weighs with a resolution of 0.2 kg (1 kg in the wide forks version).
- It is the lightest on the market, while maintaining a robust and rigid structure to weigh accurately.
- The wide forks version is ideal for use in the fruit and vegetable sector.
- The only one without junction box, with adjustment of each load cell from the display.
- 4 Dini Argeo approved steel load cells, with IP67 protection rating.
- The large 25 mm shockproof LCD display makes it easier to read.
- Backlighting with automatic switch-off, adjustable from the keyboard to adapt to any working conditions.
- Waterproof keyboard for industrial use. Protective cover as standard, for protection against water splashes.
- Power supply via internal rechargeable battery with 80h autonomy or AA batteries with 40h autonomy for use on trucks.
- Programmable automatic switch-off, which extends the working autonomy.
- Each pallet truck is tested and supplied with the corresponding certificate to guarantee the declared accuracy.

TECHNICAL FEATURES

- Low profile forks, only 85 mm.
- Fork dimensions:
 - standard 1150 x 550 x 85 mm (TPWNAA, TPWNBT version)
 - wide 1240 x 680 x 85 mm (TPWNBTW version)
- Lifting height 200 mm.
- Weight 105 kg approx (without packaging).
- Steel structure, oven-fire painted.
- Protection rating IP40 (IP54 with standard protective cover).
- Steering wheels and loading rollers in poliurethane.
- 5-key waterproof keyboard.
- Quick-lifting hydraulic pump.
- Battery charger with EU plug included (charging time approx. 8 hours). Optional UK, AU, US plug (for TPWNBT and TPWNBTW versions).
- Temperature range: -10° /+40°

THE EASIEST ONE TO RECALIBRATE AND REPAIR

- The only one without junction box: the adjustment of each individual cell is done comfortably from the keyboard.
- Spare and wear parts always available and ready for delivery.
- Service centres throughout Europe and the world.

MAIN FUNCTIONS

- Weighing functions: Zeroing, Tare, Preset Tare.
- Operating modes selectable directly by the user, via dedicated button:
 - lb/kg conversion
 - Free conversion factor (meter counter, litre counter, etc)
 - Weight totalisation
 - Piece counting
 - Hold.



[DOWNLOAD CATALOGUE](#)

OTHER VERSIONS AVAILABLE

- Capacity 2.500 kg.
- Other capacities / special resolutions: on request.
- Other special versions: on request

AVAILABLE FOR IMMEDIATE DELIVERY

- Fast delivery with products always in stock.
- The protective packaging on pallets guarantees optimal protection of the product and is composed of entirely recyclable materials.



TPW pallet truck scales are made to last over time.

Watch our [tutorial videos](#) to keep your pallet truck in top performance:

DETAIL 1



DETAIL 2



DETAIL 3



DETAIL 4



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano - Modena - Italy
Tel. +39.0536 843418

TAMTRON AS

VESTVOLLVEIEN 30B - 2019 - SKEDSMOKORSET - NORWAY

Tel. +47 64 83 67 50

post@tamtron.no www.tamtron.no

SALES AND TECHNICAL ASSISTANCE SERVICE