

T

T SERIES SINGLE-CELL PLATFORMS



Painted Steel. Load cell in **Aluminium.** **IP67** protection rating.

Precision class **C3, C3MR.**

Small and medium capacity electronic platforms with a AISI304 stainless steel Surface.

- Up to 30000d resolution.
- OIML R60 C3.
- IP67 protection.

Working in cooperation with:

TAMTRON AS

VESTVOLLVEIEN 30B - 2019 - SKEDSMOKORSET - NORWAY
Tel. +47 64 83 67 50
post@tamtron.no www.tamtron.no

The best solution
for advanced industrial
applications

MAIN FEATURES


- Functions with an approved aluminium “single point” load cell according to OIML R60 standards with protection against dust and water splashes according to IP67 standards (350 Ohm input resistance).
- Steel tubular structure, oven-fire painted blue, with adjustable resting feet and level.
- Fitted with AISI 304 satin finish stainless steel loading surface.
- Up to 15 Vdc power supply.
- Shielded 3m connection cable with connectors for connection to the indicator.

OPTIONS FOR ATEX VERSION

- CCATEX: ATEX certificate for each load cell
- DCATEX2GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 2GD DINI ARGEO INDICATOR
- DCATEX3GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 3GD DINI ARGEO INDICATOR

SUPPORT BRACKETS AND COLUMNS

- Example of use with bracket, attached column or floor column.



AVAILABLE UPON PRICE ESTIMATE

- Belt and roller units to be applied on the loading Surface.
- Special sizes and capacities.
- IP68/IP69K protection.

VERSIONS

Available versions

Codice	I x w x h (mm)	Max (kg)	d (g)	M (g)*	M 2R (g)*	d HR (g)*
TS3	230x330x93	3	0,5	1	--	0,1
TS6	230x330x93	6	1	2	1-2	0,2
TS15	230x330x93	15	2	5	2-5	0,5
TT6	330x330x93	6	1	2	1-2	0,2
TT15	330x330x93	15	2	5	2-5	0,5
TT30	330x330x93	30	5	10	5-10	1
TQ15	400x400x115	15	2	5	2- 5	0,5
TQ30	400x400x115	30	5	10	5-10	1
TQ60	400x400x115	60	10	20	10-20	2
TQ150	400x400x115	150	20	50	20-50	5
TM30	400x500x120	30	5	10	5-10	1
TM60	400x500x120	60	10	20	10-20	2
TM150	400x500x120	150	20	50	20-50	5
TC30	500x500x110	30	5	10	5-10	1
TC60	500x500x110	60	10	20	10-20	2
TC150	500x500x110	150	20	50	20-50	5
TL60	500x600x132	60	10	20	10-20	2
TL150	500x600x132	150	20	50	20-50	5
TL300	500x600x132	300	50	100	50-100	10
TX60	600x600x137	60	10	20	10-20	2
TX150	600x600x137	150	20	50	20-50	5
TX300	600x600x137	300	50	100	50-100	10
TG150	700x700x145	150	20	50	--	5
TG300	700x700x145	300	50	100	50-100	10
TG600	700x700x145	600	100	200	100-200	20

(*) Divisions obtainable only with the relative options, in combination with Dini Argeo weight indicator.



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano - Modena - Italy
Tel. +39.0536 843418

TAMTRON AS

VESTVOLLVEIEN 30B - 2019 - SKEDSMOKORSET - NORWAY

Tel. +47 64 83 67 50

post@tamtron.no www.tamtron.no

SALES AND TECHNICAL ASSISTANCE SERVICE