

STU-1K

"STU-1K": Tension/Compression load cells



Tension/Compression load cells, suitable for weighing in tension suspended loads and as overload checking and limitation, or for compression use in the creation of weighing systems with various load cells.

CAPACITIES (kg): 2000, 5000, 8000, 10000.

OIML R60. C3 precision class.

Stainless steel. IP68 protection.

Working in cooperation with:

TAMTRON AS

VESTVOLLVEIEN 30B - 2019 - SKEDSMOKORSET - NORWAY

Tel. +47 64 83 67 50

post@tamtron.no www.tamtron.no

The best solution
for advanced industrial
applications

MAIN FEATURES

- C3 PRECISION CLASS
- STAINLESS STEEL CONSTRUCTION
- IP68 PROTECTION LEVEL
- MAX. CAPACITIES FROM 2000 TO 10000 kg
- 3m SHIELDED CONNECTION CABLE

TECHNICAL FEATURES

- nLC: 3000
- Y: 12000(compression, $Y=E_{max}/V_{min}$)
- Y: 9500(tension, $Y=E_{max}/V_{min}$)
- Cn: 2,4 mV/V
- Input: 1000 +/- 20 Ohm
- Output: 1000 +/- 5 Ohm
- Excitation: 1...10Vdc
- Safe Overload: 120%
- 6-wire shielded cable, 3 m long, 5mm diameter

MAIN CERTIFICATIONS

- OIML R60
- Australian legal for trade certificate of approval (NMI S840)

DETAIL 1



Dimensions (mm)

Wiring Code	
<i>Colour</i>	<i>Function</i>
METAL	SHIELD
YELLOW	OUTPUT +
GREY	SENSE +
BROWN	INPUT +
WHITE	OUTPUT -
PINK	SENSE -
GREEN	INPUT -

VERSIONS

Available versions

Codice		Max (kg)
STU2000-1KD		2000
STU5000-1KD		5000
STU8000-1KD		8000
STU10000-1KD		10000



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano - Modena - Italy
Tel. +39.0536 843418

TAMTRON AS

VESTVOLLVEIEN 30B - 2019 - SKEDSMOKORSET - NORWAY

Tel. +47 64 83 67 50

post@tamtron.no www.tamtron.no

SALES AND TECHNICAL ASSISTANCE SERVICE